

Fischer, Joseph B., and James H. Miller. 2003. Use of Ion Chromatography for Analysis of Macro-nutrients in Mehlich 1 Extracts of Unfertilized Forest Soils. [Abstract] In: Picogram and Abstracts, Division of Agrochemicals, Issue No. 65, abstract No. 4, 226<sup>th</sup> Annual Meeting of the American Chemical Society, 2003 September 7-11; New York City, NY: American Chemical Society, Washington, DC.

## **AGRO 4**

### **Use of ion chromatography for analysis of macro-nutrients in**

#### **Mehlich 1 extracts of unfertilized forest soils**

Joseph B. Fischer and James H. Miller. George W. Andrews Forestry Sciences Laboratory, USDA Forest Service, Southern Research Station, 520 DeVall Drive, Auburn, AL 36849-5418

Ion chromatography (IC) is evaluated as an alternative to atomic absorption (AA) and inductively-coupled plasma spectrometry (ICP) for analysis of potassium (K), magnesium (Mg) and calcium (Ca), and as an alternative to antimonyl molybdate colorimetry and ICP for analysis of phosphorous (P) macro-nutrients in Mehlich 1 extracts. Soils typical of pine forests in the southeastern United States were tested. IC correlates well with AA and ICP for K and Ca, but not for Mg, unless conditions are chosen that resolve Mg from manganese (Mn). IC does not correlate very well with colorimetry for P at extract levels below 2 mgKg<sup>-1</sup> or in extracts with high levels of dissolved organic matter complexes of aluminum (Al) and iron (Fe). ICP results for P exceed both IC and colorimetry by 3-5 mgKg<sup>-1</sup> for all soils tested. The merits of IC relative to AA, ICP, and colorimetry for forest soil testing are discussed.

#### General Papers

#### Division of Agrochemicals

The 226<sup>th</sup> ACS National Meeting, New York, NY, September 7-11, 2003